

PSO6

Linear-{Sorts, Hashing}

PrePSOGeoGussr: Guess the city



Announcements

Hw due this week

Midterm next week

There is a practice exam on Ed

(Counting sort)

(1) Illustrate the operations of Counting sort on $A = [6, 0, 2, 0, 1, 3, 4, 6, 1, 3, 2]$.

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

Step 1: Array C keeps the number of occurrences for each element in A.

Step 2: Count the occurrences of each item in A. Use $A[i]$ as the indices of C.

Step 3: Accumulate the count values in C from left to right.

Step 4: Use values in C to determine the final index for each element in A.

Step 5 (optional): Copy the elements from B to A if they must be in the original array.

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	0

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  {
    for i from 0 to n-1 do
      C[A[i]]  $\leftarrow$  C[A[i]] + 1
    end for

    {
      for i from 1 to k do
        C[i]  $\leftarrow$  C[i] + C[i-1]
      end for

      let B be an array of size n

      {
        for i from n-1 to 0 by -1 do
          B[C[A[i]] - 1]  $\leftarrow$  A[i]
          C[A[i]]  $\leftarrow$  C[A[i]] - 1
        end for

        return B
      }
    }
  }
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	0

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]]  $\leftarrow$  C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i]  $\leftarrow$  C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1]  $\leftarrow$  A[i]
  C[A[i]]  $\leftarrow$  C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	0

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	0

$$A[i] = 6$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	0

$$A[i] = 6$$

$$C[A[i]] = C[6]$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	1

$$A[i] = 6$$

$$C[A[i]] = C[6]$$

$$C[6] += 1$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	1

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
  C[A[i]] ← C[A[i]] + 1  
end for
```

```
{ for i from 1 to k do  
  C[i] ← C[i] + C[i-1]  
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
  B[C[A[i]] - 1] ← A[i]  
  C[A[i]] ← C[A[i]] - 1  
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	0	0	0	0	0	0	1

$$A[i] = 0$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	1	0	0	0	0	0	1

$A[i] = 0$

$C[0] += 1$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
     $C[A[i]] \leftarrow C[A[i]] + 1$ 
  end for

  for i from 1 to k do
     $C[i] \leftarrow C[i] + C[i-1]$ 
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
     $B[C[A[i]] - 1] \leftarrow A[i]$ 
     $C[A[i]] \leftarrow C[A[i]] - 1$ 
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	1	0	0	0	0	0	1

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	1	0	1	0	0	0	1

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	1	0	1	0	0	0	1

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	0	1	0	0	0	1

Going faster..

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	1	1	0	0	0	1

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A
  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for
  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---



i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	1	1	1	0	0	1

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A
  {
    for i from 0 to n-1 do
      C[A[i]]  $\leftarrow$  C[A[i]] + 1
    end for
  }
  {
    for i from 1 to k do
      C[i]  $\leftarrow$  C[i] + C[i-1]
    end for
  }

  let B be an array of size n

  {
    for i from n-1 to 0 by -1 do
      B[C[A[i]] - 1]  $\leftarrow$  A[i]
      C[A[i]]  $\leftarrow$  C[A[i]] - 1
    end for
  }

  {
    return B
  }
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	1	1	1	1	0	1

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A
  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for
  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---


i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	1	1	1	1	0	2

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A
  {
    for i from 0 to n-1 do
      C[A[i]]  $\leftarrow$  C[A[i]] + 1
    end for
  }
  {
    for i from 1 to k do
      C[i]  $\leftarrow$  C[i] + C[i-1]
    end for
  }

  let B be an array of size n

  {
    for i from n-1 to 0 by -1 do
      B[C[A[i]] - 1]  $\leftarrow$  A[i]
      C[A[i]]  $\leftarrow$  C[A[i]] - 1
    end for
  }

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	2	1	1	1	0	2

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A
  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for
  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	2	1	2	1	0	2

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]] ← C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i] ← C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1] ← A[i]
  C[A[i]] ← C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	2	2	2	1	0	2

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A
  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for
  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

Initialize our C array

k	0	1	2	3	4	5	6
freq	2	2	2	2	1	0	2

Next up

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	2	2	2	1	0	2

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	2	2	2	1	0	2

↑
i

$$C[1] = C[1] + C[0]$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	2	2	1	0	2

↑
i

$$C[1] = C[1] + C[0] = 2 + 2$$

```

algorithm countingsort(A:array, k:ℤ+)
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]] ← C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i] ← C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1] ← A[i]
    C[A[i]] ← C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	2	2	1	0	2

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	2	2	1	0	2

↑
i

$C[2] += C[1]$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
}
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	2	1	0	2

↑
i

$$C[2] += C[1] = 6$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
}
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	2	1	0	2

↑
i

$$C[2] += C[1] = 6$$

$C[i]$ = # of elements $\leq i$ in the sorted array

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
}
end algorithm

```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	8	1	0	2

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	0	2

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	2

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

--	--	--	--	--	--	--	--	--	--	--

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]]  $\leftarrow$  C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i]  $\leftarrow$  C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1]  $\leftarrow$  A[i]
  C[A[i]]  $\leftarrow$  C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

--	--	--	--	--	--	--	--	--	--	--

↑
i

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

--	--	--	--	--	--	--	--	--	--	--

$$A[i] = 2$$

```

algorithm countingSort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

--	--	--	--	--	--	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = 6$$

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

--	--	--	--	--	--	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = 6$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

--	--	--	--	--	--	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = 6$$

$$B[C[A[i]] - 1] = B[5]$$

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]]  $\leftarrow$  C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i]  $\leftarrow$  C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1]  $\leftarrow$  A[i]
  C[A[i]]  $\leftarrow$  C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

					2					
--	--	--	--	--	---	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = 6$$

$$B[C[A[i]] - 1] = B[5] \quad \text{Set } B[5] = A[i] = 2$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

$C[i]$ = # elements less than or equal to i

B

					2					
--	--	--	--	--	---	--	--	--	--	--

$A[i] = 2$

$C[A[i]] = 6$

$B[C[A[i]] - 1] = B[5]$

Set $B[5] = A[i] = 2$ **why?**

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

$C[i]$ = # elements less than or equal to i

B When sorted, elements before $B[5]$ look like..

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$A[i] = 2$

$C[A[i]] = 6$

$B[C[A[i]] - 1] = B[5]$ Set $B[5] = A[i] = 2$ **why?**

```

algorithm countingSort(A:array, k: $\mathbb{Z}^+$ )
{
    let C be an array of length k+1
    fill C with 0s

    let n be the size A

    for i from 0 to n-1 do
        C[A[i]]  $\leftarrow$  C[A[i]] + 1
    end for

    for i from 1 to k do
        C[i]  $\leftarrow$  C[i] + C[i-1]
    end for

    let B be an array of size n

    for i from n-1 to 0 by -1 do
        B[C[A[i]] - 1]  $\leftarrow$  A[i]
        C[A[i]]  $\leftarrow$  C[A[i]] - 1
    end for

    return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$A[i] = 2$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = C[2]$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] ← C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] ← C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] ← A[i]
C[A[i]] ← C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = C[2] \quad C[2] = 1$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] ← C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] ← C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] ← A[i]
C[A[i]] ← C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Intuition: We placed the first 2 down, only one 2 left

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = C[2] \quad C[2] -= 1$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

Intuition: We placed the first 2 down, only $C[2] - C[1]$ 2 left

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$$A[i] = 2$$

$$C[A[i]] = C[2] \quad C[2] -= 1$$

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]] ← C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i] ← C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1] ← A[i]
  C[A[i]] ← C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$A[i] = 3$

algorithm countingsort(A :array, $k:\mathbb{Z}^+$)

{ let C be an array of length $k+1$
fill C with 0s

let n be the size A

{ for i from 0 to $n-1$ do
 $C[A[i]] \leftarrow C[A[i]] + 1$
end for

{ for i from 1 to k do
 $C[i] \leftarrow C[i] + C[i-1]$
end for

let B be an array of size n

{ for i from $n-1$ to 0 by -1 do
 $B[C[A[i]] - 1] \leftarrow A[i]$
 $C[A[i]] \leftarrow C[A[i]] - 1$
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$$A[i] = 3$$

$$C[A[i]] = C[3] = 8$$

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2					
---	---	---	---	---	---	--	--	--	--	--

$$A[i] = 3$$

$$C[A[i]] = C[3] = 8$$

$$\text{Set } B[8 - 1] = 3$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2		3			
---	---	---	---	---	---	--	---	--	--	--

$$A[i] = 3$$

$$C[A[i]] = C[3] = 8$$

$$\text{Set } B[8 - 1] = 3$$

why?

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

$$A[i] = 3$$

$$C[A[i]] = C[3] = 8$$

$$\text{Set } B[8 - 1] = 3$$

why?

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	8	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

$A[i] = 3$

$C[A[i]] = C[3]$

algorithm countingsort(A :array, $k:\mathbb{Z}^+$)

{ let C be an array of length $k+1$
fill C with 0s

let n be the size A

{ for i from 0 to $n-1$ do
 $C[A[i]] \leftarrow C[A[i]] + 1$
end for

{ for i from 1 to k do
 $C[i] \leftarrow C[i] + C[i-1]$
end for

let B be an array of size n

{ for i from $n-1$ to 0 by -1 do
 $B[C[A[i]] - 1] \leftarrow A[i]$
 $C[A[i]] \leftarrow C[A[i]] - 1$
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

$A[i] = 3$

$C[A[i]] = C[3]$

$C[3] -= 1$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

This should be B[3] from our picture

```
algorithm countingSort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]]  $\leftarrow$  C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i]  $\leftarrow$  C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1]  $\leftarrow$  A[i]
  C[A[i]]  $\leftarrow$  C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

This should be B[3] from our picture
 $A[i] = 1$, $C[A[i]] = 4$, so true

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	4	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

This should be B[3] from our picture
 $A[i] = 1$, $C[A[i]] = 4$, so true

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

This should be B[3] from our picture
 $A[i] = 1$, $C[A[i]] = 4$, so true
Then decrement the count

```

algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
{
  let C be an array of length k+1
  fill C with 0s

  let n be the size A

  for i from 0 to n-1 do
    C[A[i]]  $\leftarrow$  C[A[i]] + 1
  end for

  for i from 1 to k do
    C[i]  $\leftarrow$  C[i] + C[i-1]
  end for

  let B be an array of size n

  for i from n-1 to 0 by -1 do
    B[C[A[i]] - 1]  $\leftarrow$  A[i]
    C[A[i]]  $\leftarrow$  C[A[i]] - 1
  end for

  return B
end algorithm

```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
end for
```

```
{ return B
```

```
end algorithm
```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	11

B

0	0	1	1	2	2	3	3			
---	---	---	---	---	---	---	---	--	--	--

$$C[6] = 11$$

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]]  $\leftarrow$  C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i]  $\leftarrow$  C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1]  $\leftarrow$  A[i]
  C[A[i]]  $\leftarrow$  C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	11

B

0	0	1	1	2	2	3	3			6
---	---	---	---	---	---	---	---	--	--	---

$$C[6] = 11$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	11

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

$$C[6] = 11$$

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
~~C[A[i]] $\leftarrow$ C[A[i]] - 1~~
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	9	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	7	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingSort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	3	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]]  $\leftarrow$  C[A[i]] + 1  
end for
```

```
{ for i from 1 to k do  
    C[i]  $\leftarrow$  C[i] + C[i-1]  
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1]  $\leftarrow$  A[i]  
    C[A[i]]  $\leftarrow$  C[A[i]] - 1  
end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	2	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	2	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	2	2	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	1	2	5	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do
  C[A[i]] ← C[A[i]] + 1
end for
```

```
{ for i from 1 to k do
  C[i] ← C[i] + C[i-1]
end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do
  B[C[A[i]] - 1] ← A[i]
  C[A[i]] ← C[A[i]] - 1
end for
```

```
{ return B
```

```
end algorithm
```


6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	1	2	4	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

algorithm countingsort(A:array, $k:\mathbb{Z}^+$)

{ let C be an array of length $k+1$
fill C with 0s

let n be the size A

{ for i from 0 to $n-1$ do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from $n-1$ to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	0	2	4	6	8	9	10

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

algorithm countingsort(A:array, k: $\mathbb{Z}^+$)

{ let C be an array of length k+1
fill C with 0s

let n be the size A

{ for i from 0 to n-1 do
C[A[i]] $\leftarrow$ C[A[i]] + 1
end for

{ for i from 1 to k do
C[i] $\leftarrow$ C[i] + C[i-1]
end for

let B be an array of size n

{ for i from n-1 to 0 by -1 do
B[C[A[i]] - 1] $\leftarrow$ A[i]
C[A[i]] $\leftarrow$ C[A[i]] - 1
end for

{ return B

end algorithm

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

↑
i

k	0	1	2	3	4	5	6
freq	0	2	4	6	8	9	9

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

Done!

```
algorithm countingsort(A:array, k: $\mathbb{Z}^+$ )
```

```
{ let C be an array of length k+1  
  fill C with 0s
```

```
  let n be the size A
```

```
{ for i from 0 to n-1 do  
    C[A[i]] ← C[A[i]] + 1  
  end for
```

```
{ for i from 1 to k do  
    C[i] ← C[i] + C[i-1]  
  end for
```

```
  let B be an array of size n
```

```
{ for i from n-1 to 0 by -1 do  
    B[C[A[i]] - 1] ← A[i]  
    C[A[i]] ← C[A[i]] - 1  
  end for
```

```
{ return B
```

```
end algorithm
```

Question 3

(Counting sort)

(1) Illustrate the operations of Counting sort on $A = [6, 0, 2, 0, 1, 3, 4, 6, 1, 3, 2]$.

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

(Counting sort)

(1) Illustrate the operations of Counting sort on $A = [6, 0, 2, 0, 1, 3, 4, 6, 1, 3, 2]$.

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

Wait! Sounds familiar..

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

A

6	0	2	0	1	3	4	6	1	3	2
---	---	---	---	---	---	---	---	---	---	---

The counting array kept track of

$C[i] = \# \text{ elements less than or equal to } i$

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \#$ elements less than or equal to i**

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11


elts in range $[0,0] = C[0]$

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**



(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11


**# elts in range $[0,1] = C[1]$
= 4**

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**



(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11


$$\begin{aligned} \# \text{ elts in range } [0, 2] &= \mathbf{C[2]} \\ &= 6 - 2 + 2 = 6 \end{aligned}$$

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---


(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**




(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**




(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \#$ elements less than or equal to i**




(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**



(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**



(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of

$C[i] = \# \text{ elements less than or equal to } i$

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

$\# \text{ elts in range } [a, b] = C[b] - C[a - 1]$

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---

(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of

$C[i] = \# \text{ elements less than or equal to } i$

k	0	1	2	3	4	5	6
freq	2	4	6	8	9	9	11

$\# \text{ elts in range } [a, b] = C[b] - C[a - 1]$


$C[b] - C[a - 1] = (\# \text{ elts } \leq b) - (\# \text{ elts } \leq a - 1) = \# \text{ elts in } [a, b]$

B

0	0	1	1	2	2	3	3	4	6	6
---	---	---	---	---	---	---	---	---	---	---


(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**




(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**



(2) Describe an algorithm that, given n integers in the range 0 to k , preprocesses its input and then answers any query about how many of the n integers fall into a range $[a, b]$ (for some $0 \leq a \leq b \leq k$) in $\mathcal{O}(1)$ time. Your algorithm should use $\Theta(n + k)$ preprocessing time.

The counting array kept track of **$C[i] = \# \text{ elements less than or equal to } i$**




Question 2

You are given an array of integers, where different integers may have different numbers of digits, but the total number of digits over all the integers in the array is n . Show how to sort the array in $O(n)$ time.

What is n here?

~~14~~

$O(n)$



12	5	17	13	15	4	100	4
----	---	----	----	----	---	-----	---

(other)

What are the two linear sorts we learn and how do they work

selection,
bubble,

radix
bucket

Why not just use radix sort?

12	<u>5</u>	17	13	15	<u>4</u>	<u>100</u>	<u>4</u>
----	----------	----	----	----	----------	------------	----------

Radix Sort Example

Consider the array $A = [352, 242, 311, 906, 133]$

352
242
311
906
133

$O(n)$
 $\Rightarrow$

311
352
242
133
906

$O(n)$
 $\Rightarrow$

906
311
133
242
352

$\Rightarrow$

133
242
311
352
906

Space $O(n+10)$
Time $2 \times O(n)$ counting sort

1	1	2	1	...
---	---	---	---	-----

Sorting in $O(n)$ time



"by PSD we know
how to sort $O(n)$ "

<u>12</u>	5	17	13	15	4	100	4
-----------	---	----	----	----	---	-----	---

1. "Bucket" by lengths $O(n)$

bucket N Radix (A):

<u>5</u>	<u>4</u>	<u>4</u>	12	17	13	15	100
----------	----------	----------	----	----	----	----	-----

length 1

length 2

length 3

1, 2. ~~we~~ extra stuff,

2. Sort each length bucket (radix sort)

4	4	5	12	13	15	17	100
---	---	--------------	----	---------------	---------------	---------------	-----

Question 3


(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

↑
values.
arbitrary
Chaining

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

- (a) Write an order of insertion for these six values such that the state of T is the one displayed above.
- (b) Can another insertion order give the same state? Explain your answer.
- (c) What is the load factor of T ? Is there any issue occurring in T ?
- (d) Illustrate T if the collision management technique used was chaining.

Linear Probing: If collision, check next box



Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

(a) Write an order of insertion for these six values such that the state of T is the one displayed above.

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
28	6
8	8
31	7

What has no collision!
16, 17, 8

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

(a) Write an order of insertion for these six values such that the state of T is the one displayed above.

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

16, 17, 8

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

(a) Write an order of insertion for these six values such that the state of T is the one displayed above.

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	<u>16</u>	<u>17</u>			<u>8</u>			

insert 28 next

2 collisions

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

(a) Write an order of insertion for these six values such that the state of T is the one displayed above.

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
<u>18</u>	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17	<u>28</u>		8			

Next, 28

next 18

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

(a) Write an order of insertion for these six values such that the state of T is the one displayed above.

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17	28	18	8			

Next, 28, 18

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

(a) Write an order of insertion for these six values such that the state of T is the one displayed above.

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17	28	18	8	31		

Next, 28, 18, 31

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

- (a) Write an order of insertion for these six values such that the state of T is the one displayed above.
- (b) Can another insertion order give the same state? Explain your answer.
- (c) What is the load factor of T ? Is there any issue occurring in T ?
- (d) Illustrate T if the collision management technique used was chaining.

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17			8			

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17	28		8			

Next, 28

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17	28	18	8			

Next, 28, 18

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

	4	5	6	7	8	9	10	11
	16	17	28	18	8	31		

Next, 28, 18, 31

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

k	$h(k) = k \bmod 12$
16	4
17	5
28	4
18	6
8	8
31	7

Which ones are in the right place?

Insert 16,17,8 first

8, 17, 16, 28, 18, 31


	4	5	6	7	8	9	10	11
	16	17	28	18	8	31		

Next, 28, 18, 31

I can enter 16,17,8 in any order

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.



0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

- Write an order of insertion for these six values such that the state of T is the one displayed above.
- Can another insertion order give the same state? Explain your answer.
- What is the load factor of T ? Is there any issue occurring in T ?
- Illustrate T if the collision management technique used was chaining.

Load factor =

$$\frac{1}{2} = \frac{6}{12} = \frac{\# \text{elts}}{\text{total capacity}}$$

~ collisions likely (clusters)

~~OK~~

$$1 + 2 + \dots = O(n^2)$$

for n insert,

$$\sim O(n) \text{ amortized}$$

Question 3

(Hash table) Let T be an empty hash table of length $m = 12$ with $h(k) = k \bmod 12$, $k \in \mathbb{Z}^+$. T uses linear probing as a collision management technique. The following is the content of T after inserting six values.

0	1	2	3	4	5	6	7	8	9	10	11
				16	17	28	18	8	31		

- (a) Write an order of insertion for these six values such that the state of T is the one displayed above.
- (b) Can another insertion order give the same state? Explain your answer.
- (c) What is the load factor of T ? Is there any issue occurring in T ?
- (d) Illustrate T if the collision management technique used was chaining.

(d) Illustrate T if the collision management technique used was chaining.

Insertion order: 16, 17, 28, 18, 8, 31

k	<u>$h(k) = k \bmod 12$</u>
16	4
17	5
28	4
18	6
8	8
31	7

	4	5	6	7	8	9	10	11
	16	17	18	31	8			

↓
28